

## Technical Specifications

RAQ , 50Hz , R22

Model		RAQ010	RAQ012	RAQ015
Nominal Cooling Capacity	kW-Btu/hr	2.64 - 9000	3.43 - 11700	4.34 - 14800
Nominal Heating Capacity	kW-Btu/hr	2.64 - 9000	3.43 - 11700	4.34 - 14800
Cooling Power Consumption	W	980	1300	1700
Heating Power Consumption	W	765	1100	1600
EER:				
Cooling*	Btu/hr.w	9.18	9.00	8.71
Heating*	Btu/hr.w	11.76	10.64	9.25
Power Supply	V/Ph/Hz	220-240/1/50		
Air Flow Rate (at high speed& dry coil)	m <sup>3</sup> /hr	492		484
	CFM	290		285
Dimensions (WxHxD)	Net mm	470X356X581		560x380x692
Weight	Kg	36	43	50
Refrigerant Type		R22		

At Nominal ASHRAE rating conditions

Cooling: 35<sup>0</sup>C outdoor DBT / 27<sup>0</sup>C indoor DBT & 19.5<sup>0</sup>C indoor WBT.

Heating : 7<sup>0</sup>C outdoor DBT & 80% relative humidity / 20<sup>0</sup>C indoor DBT.

\* Test volt: 220 for single phase.

Specifications are subject to change without prior notice